SUBJECT INDEX

VOLUME 43

A

Abrasion.

Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate—Fred Hubbard and H. T. Williams, 1088. Discussion, 1095.

Accelerated Testing.

See also **Aging Tests; Corrosion; Weathering**

Accelerated Weathering of Bituminous Materials—Effect of Operating Variables—Bruce Weetman, 1154. Discussion, 1162.

A Method for the Testing and Evaluation of Road Tars—E. O. Rhodes and H. E. Gillander, 1165.

Studies to Develop an Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

Admiralty Metal.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Aggregates.

See also **Slag.**

Concrete and Concrete Aggregates. Report of Committee C-9, 241. Addendum, 245.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime—C. W. Muhlenbruch and Ben Marcin, 870.

Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Report of Committee C-1, Appendix, 199.

Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate—Fred Hubbard and H. T. Williams, 1088. Discussion, 1095.

Studies to Develop an Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

Aging Tests.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Alkali.

Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Report of Committee C-1, Appendix, 199.

Alloys, Non-Ferrous.

See also **Aluminum; Brass; Bronze; Copper; Electrical Resistance and Heating Alloys; Magnesium; Zinc.**

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Chemical Analysis of Metals. Report of Committee E-3, 413.

A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 162.

Alloys, Non-Ferrous (*Continued*).

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 129.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.

Die-Cast Metals and Alloys. Report of Committee B-6, 173.

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 155.

Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Experiments on Plastic Bending for Aluminum Alloy 17S-T—Joseph Marin and F. D. Cotterman, 581. Discussion, 596.

The Fatigue Properties of Some Cold-Drawn Nickel-Alloy Wires—John N. Kenyon, 765. Discussion, 771.

Fatigue Tests on Some Copper Alloys in Wire Form—H. L. Burghoff and A. I. Blank, 774. Discussion, 784.

Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures—A. Nadai and P. G. McVetty, 735. Discussion, 746.

Interpretation of Creep Test Data—P. G. McVetty, 707. Discussion, 728.

Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 177.

Metallography. Report of Committee E-4, 415.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 168.

Some Notes on the Indentation Hardness Test—J. M. Lessells, 803. General Discussion, 843.

Spectrographic Analysis. Report of Committee E-2, 411.

Alloy Steel.

See also **Steel.**

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 125.

Filler Metal. Report of Joint Committee, 127.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 101.

Magnetic Properties. Report of Committee A-6, 96.

Structure and Creep Characteristics of Cast Carbon-Molybdenum Steel at 950 F.—H. E. Montgomery and John Urban. Published in ASTM BULLETIN, No. 125, December, 1943, p. 13. Discussion, p. 16.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

Aluminum.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.

Die Cast Metals and Alloys. Report of Committee B-6, 173.

Experiments on Plastic Bending for Aluminum Alloy 17S-T—Joseph Marin and F. D. Cotterman, 581. Discussion, 596.

Filler Metal. Report of Joint Committee, 127.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 177.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discusssion, 704.

Aluminum in Steel.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Analytical Chemistry.

See **Chemical Analysis; Spectrographic Analysis.**

(Methods of analyses, testing, etc., are also indexed under the materials and subjects covered by them.)

Anodic Coatings.

A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.
Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 177.

Annapolis Exposure Tests.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 72.

Annual Meeting.

Annual Report of the Executive Committee, 32.
Fifteenth Award of the Charles B. Dudley Medal. Summary of Proceedings of the Forty-sixth Annual Meeting, 12.
Summary of Proceedings of the Forty-sixth Annual Meeting, 1.

Anthracite.

See **Coal.**

Apparatus, Laboratory.

Methods of Testing. Report of Committee E-1, 407.

Arc-Formed Gases.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Arc Furnaces.

See **Electric Furnaces.**

Arc Welding.

See **Filler Metal; Welds.**

Asbestos.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.
Textile Materials. Report of Committee D-13, 385.

Askarels.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.
Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Asphalt.

Accelerated Weathering of Bituminous Materials—Effect of Operating Variables—Bruce Weetman, 1154. Discussion, 1162.
Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 330.
A Method for Evaluating Performance in Service of Slow-Curing Asphalts—Joseph Zapata. Published in ASTM BULLETIN, No. 124, October, 1943, p. 31. Discussion, p. 38.
Road and Paving Materials. Report of Committee D-4, 284.

Atmospheric Exposure.

See **Corrosion; Weathering.**

Automotive Rubber.

See **Rubber Products.**

Aviation Gasoline.

See **Gasoline.**

B

Barbed Wire.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Bast and Leaf Products.

See **Textile Materials.**

Bearing Metal.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

Bend Testing.

Experiments on Plastic Bending for Aluminum Alloy 17S-T—Joseph Marin and F. D. Cotterman, 581. Discussion, 596.
On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

Bethlehem Test Oven.

Proposed Method of Test for Expansion Properties of Coal for Use in By-Product Coke Ovens by Means of the Bethlehem Test Oven. Report of Committee D-5, Appendix VI, 314.

Bituminous Coal.

See **Coal.**

Bituminous Materials.

See also **Asphalt; Petroleum Products; Roofing Materials; Waterproofing Materials.**

Accelerated Weathering of Bituminous Materials—Effect of Operating Variables—Bruce Weetman, 1154. Discussion, 1162.

Boiler Feedwater.

See also **Water.**

Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants—R. C. Ulmer, J. M. Reynar, and J. M. Decker, 1258. Discussion, 1267.

Field and Laboratory Determination of Dissolved Oxygen—Robert C. Adams, Robert E. Barnett, and Daniel E. Keller, Jr., 1240. Discussion, 1254.

Research. Report of Committee E-9, 419.

Symposium on the Identification of Water-Formed Deposits, Scales and Corrosion Products by Physico-Chemical Methods:

Introduction—H. C. Miller, 1269.

X-ray Diffraction Methods in the Study of Power Plants Deposits—C. E. Imhoff and L. A. Burkardt, 1276.

Diagnosis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrision, 1289.

The Interpretation of Analyses and Problems Encountered in Water Deposits—J. A. Holmes and A. O. Walker, 1301.

General Discussion, 1308.

Water for Industrial Uses. Report of Committee D-19, 396.

Bond.

Measurement of Bond Between Bricks and Mortar—J. C. Pearson, 857. Discussion, 867.

Boxes.

Paper and Paper Products. Report of Committee D-6, 326.

Brass.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 162.

Die-Cast Metals and Alloys. Report of Committee B-6, 173.

Fatigue Tests on Some Copper Alloys in Wire Form—H. L. Burghoff and A. I. Blank, 774. Discussion, 784.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 168.

Brick.

Measurement of Bond Between Bricks and Mortar—J. C. Pearson, 857. Discussion, 867.

Refractories. Report of Committee C-8, 225.

Brinell Hardness.

See **Hardness Testing.**

Bronze.

See also **Copper.**

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 162..

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 168.

Brittle Fracture.

On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

Building Brick.

See **Brick.**

C

Cable.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 129.

Cadmium.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Carbonization Pressure.

Discussion. Pressures, Strains, and Other Properties Developed During Carbonization of Coal, Including Proposed Method of Test. Report of Committee D-5, 317.

Proposed Method of Test for Carbonization Pressure of Bituminous Coal. Report of Committee D-5, Appendix IV, 306.

Proposed Method for Measurement of Pressures Developed During Carbonization of Coal by the Movable Wall Oven. Report of Committee D-5, Appendix V, 310.

Carbon-Molybdenum Steel.

See also **Alloy Steel.**

Structure and Creep Characteristics of Cast Carbon-Molybdenum Steel at 950 F.—H. E. Montgomery and John Urban. Published in ASTM BULLETIN, No. 125, December, 1943, p. 13. Discussion, p. 16.

Cast Iron.

Cast Iron. Report of Committee A-3, 68.

Some Notes on the Indentation Hardness Test—J. M. Lessells, 803. Discussion, 843.

Castings.

See **Alloy Steel; Aluminum; Brass; Bronze; Cast Iron; Copper; Die Castings; Magnesium; Malleable Iron; Steel.**

Cathodic Coatings.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Cement.

Cement. Report of Committee C-1, 195.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime—C. W. Muhlenbruch and Ben Marcin, 870.

Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Report of Committee C-1, Appendix, 199.

Studies to Develop an Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

A Study of the Heat of Solution Procedure for Determining the Heat of Hydration of Portland Cement—Leo Shartsis and Edwin S. Newman, 905.

Variations in Strength of Portland Cements Conforming to the Same Specifications and the Relation of Such Variations to Concrete Control—S. P. Wing and Arthur Ruettgers, 917. Discussion, 941.

Chain-Link Fence.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Charpy Impact.

See **Impact Testing.**

Chemical Analysis.

Chemical Analysis of Metals. Report of Committee E-3, 413.

Spectrographic Analysis. Report of Committee E-2, 411.

Symposium on the Identification of Water-Formed Deposits, Scales and Corrosion Products by Physico-Chemical Methods:

Introduction—H. C. Miller, 1269.

X-ray Diffraction Methods in the Study of Power Plant Deposits—C. E. Imhoff and L. A. Burkardt, 1276.

Diagnosis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrison, 1289.

The Interpretation of Analyses and Problems Encountered in Water Deposits—J. A. Holmes and A. O. Walker, 1301.

General Discussion, 1308.

Chemical Lime.

See **Lime.**

Chlorides.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Chromium.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Chromium-Nickel Alloys.

See **Alloy Steel; Electrical Resistance and Heating Alloys.**

Clad Steel.

See **Corrosion-Resisting Alloy Steels.**

Coal.

Coal and Coke. Report of Committee D-5, 288.

Discussion. Pressures, Strains, and Other Properties Developed During Carbonization of Coal, Including Proposed Method of Test. Report of Committee D-5, 317.

The Gieseler Method for Measurement of the Plastic Characteristics of Coal—Glenn C. Soth and Charles S. Russell, 1176. Discussion, 1190.

Proposed Method for Measurement of Pressures Developed During Carbonization of Coal by the Movable Wall Oven. Report of Committee D-5, Appendix V, 310.

Proposed Method of Test for Carbonization Pressure of Bituminous Coal. Report of Committee D-5, Appendix IV, 306.

Proposed Method of Test for Expansion Pressure of Coal During Coking. Report of Committee D-5, Appendix I, 293.

Proposed Method of Test for Expansion Properties of Coal for Use in By-Product Coke Ovens by Means of the Bethlehem Test Oven. Report of Committee D-5, Appendix VI, 314.

Proposed Method of Test for Plastic Properties of Coal by the Davis Type Plastometer. Report of Committee D-5, Appendix II, 297.

Proposed Method of Test for Plastic Properties of Coal by the Gieseler Type Plastometer. Report of Committee D-5, Appendix III, 301.

Coatings.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Cohesive Strength.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

Coke.

Coal and Coke. Report of Committee D-5, 288.

Color.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Compression Testing.

Simplified Test for Evaluating the Effectiveness of Concrete Mixers—S. P. Wing, Valens Jones, and R. E. Kennedy, 1001. Discussion, 1014.

Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate—Fred Hubbard and H. T. Williams, 1088. Discussion, 1095.

Studies to Develop an Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

Variations in Strength of Portland Cements Conforming to the Same Specifications and the Relation of Such Variations to Concrete Control—S. P. Wing and Arthur Ruettgers, 917. Discussion, 941.

Concrete.

Concrete and Concrete Aggregates. Report of Committee C-9, 241. Addendum, 245.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elastiticy—Bartlett G. Long and H. J. Kurtz, 1051. Discussion, 1066.

Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime—C. W. Muhlenbruch and Ben Marcin, 870.

A New Aspect of Creep in Concrete and Its Application to Design—Douglas McHenry, 1069. Discussion, 1085.

Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Report of Committee C-1, Appendix, 199.

Simplified Test for Evaluating the Effectiveness of Concrete Mixers—S. P. Wing, Valens Jones, and R. E. Kennedy, 1001. Discussion, 1014.

Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate—Fred Hubbard and H. T. Williams, 1088. Discussion, 1095.

Studies to Develop an Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

Tests of the Fire Resistance and Thermal Properties of Solid Concrete Slabs and Their Significance—Carl A. Menzel, 1099. Discussion, 1148.

Variations in Strength of Portland Cements Conforming to the Same Specifications and the Relation of Such Variations to Concrete Control—S. P. Wing and Arthur Ruettgers, 917. Discussion, 941.

Conditioning.

Electrical Insulating Materials. Report of Committee D-9, 332.

Methods of Testing. Report of Committee E-1, 407.

Conservation of Metals.

Conservation of Tin in Soft Solders—D. L. Colwell and W. C. Lang. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 42.

Consistency.

Methods of Testing. Report of Committee E-1, 407.

Contact Metals.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 155.

Containers.

Paper and paper Products. Report of Committee D-6, 326.

Conversion Tables.

Hardness Conversion Tables. Appended to Paper on Some Notes on the Indentation Hardness Test—J. M. Lessells, 807.

Copper.

The Atmospheric Corrosion of Copper—A. W. Tracy, D. H. Thomson, and John R. Freeman, Jr., 615. Discussion, 647.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Chemical Analysis of Metals. Report of Committee E-3, 413.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 162.

Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Fatigue Tests on Some Copper Alloys in Wire Form—H. L. Burghoff and A. I. Blank, 774. Discussion, 784.

Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 168.

Copper (*Continued*).

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

Copper-Bearing Steel.

Corrosion of Iron and Steel. Report of Committee A-5, 70.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Committee A-5, 72.

Copper Covered Wire.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Copper Wire.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 129.

Core Loss.

See also **Magnetic Testing.**

The Measurement of A-C. and D-C. Permeability on 28-cm. Test Specimens—J. P. Barton and G. W. Smith, 493. Discussion, 501.

Corrosion.

See also **Weathering.**

The Atmospheric Corrosion of Copper—A. W. Tracy, D. H. Thompson, and John R. Freeman, Jr.—615. Discussion, 647.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.

Corrosion of Iron and Steel. Report of Committee A-5, 70.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 101.

Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Committee A-5, 72.

Report of Replies to Questionnaire on Salt Spray Testing. Report of Subcommittee III, Committee B-8, 187.

Research. Report of Committee E-9, 419.

The Total-Immersion Corrosion Test—W. A. Wesley, 649. Discussion, 659.

Corrosion-Resisting Alloy Steels.

See also **Alloy Steels.**

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 101.

Cotton and Cotton Products.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.

Textile Materials. Report of Committe D-13, 385.

Crankcase Oils.

See **Lubricants; Petroleum Products.**

Creep Tests.

See also **Temperature, Effect of.**

Deformation Under Load of Rigid Plastics—Robert Burns, 1194. Discussion, 1200.

Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures—A. Nadai and P. G. McVetty, 735. Discussion, 746.

Interpretation of Creep Test Data—P. G. McVetty, 707. Discussion, 728.

A New Aspect of Creep in Concrete and Its Application to Design—Douglas McHenry, 1069. Discussion, 1085.

Structure and Creep Characteristics of Cast Carbon-Molybdenum Steel at 950 F.—H. E. Montgomery and John Urban. Published in ASTM BULLETIN, No. 125, December, 1943, p. 13. Discussion, p. 16.

Cup-Drawing Test.

A Test for Measuring Drawability of Deep-Drawing Steels—Francis W. Boulger and F. B. Dahle, 503. Discussion, 519.

Curing.

Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity—Bartlett G. Long and H. J. Kurtz, 1051. Discussion, 1066.

D

Damping Capacity.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Dampproofing.

See **Waterproofing Materials.**

Davis Plastometer.

Proposed Method of Test for Plastic Properties of Coal by the Davis Type Plastometer. Report of Committee D-5, Appendix II, 297.

Definitions of Terms.

See **Nomenclature.**

Deposits, Water-Formed.

Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants—R. C. Ulmer, J. M. Reynar, and J. M. Decker, 1258. Discussion, 1267.

Field and Laboratory Determination of Dissolved Oxygen—Robert C. Adams, Robert E. Barnett, and Daniel E. Keller, Jr., 1240. Discussion, 1254.

Symposium on the Identification of Water-Formed Deposits, Scales, and Corrosion Products by Physico-Chemical Methods: Introduction—H. C. Miller, 1269.

X-ray Diffraction Methods in the Study of Power Plant Deposits—C. E. Imhoff and L. A. Burkardt, 1276.

Diagnosis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrison, 1289.

The Interpretation of Analyses and Problems Encountered in Water Deposits—J. A. Holmes and A. O. Walker, 1301.

General Discussion, 1308.

Design.

A New Aspect of Creep in Concrete and Its Application to Design—Douglas McHenry, 1069. Discussion, 1085.

Detergents.

Cooperative Studies on a Laboratory Method for Evaluating Synthetic Detergents, J. B. Crowe. Report of Committee D-12, Appendix, 378.

Soaps and Other Detergents. Report of Committee D-12, 374.

Die Castings.

Die-Cast Metals and Alloys. Report of Committee B-6, 173.

Dielectric Strength.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Dissolved Oxygen.

Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants—R. C. Ulmer, J. M. Reynar, and J. M. Decker, 1258. Discussion, 1267.

Field and Laboratory Determination of Dissolved Oxygen—Robert C. Adams, Robert E. Barnett, and Daniel E. Keller, Jr., 1240. Discussion, 1254.

Drawability.

A Test for Measuring Drawability of Deep-Drawing Steels—Francis W. Boulger and F. B. Dahle, 503. Discussion, 519.

Ductile Fracture.

On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

Dudley Medal.

Seventeenth Award of the Charles B. Dudley Medal. Summary of Proceedings of the Forty-sixth Annual Meeting, 12.

Durability.

See **Weathering.**

Duralumin.

See **Aluminum.**

Durometer.

Use of the Shore Durometer for Measuring the Hardness of Synthetic and Natural Rubbers—Rolla H. Taylor. Published in ASTM BULLETIN, No. 123, August, 1943, p. 25. Discussion, p. 30.

Dynamic Modulus of Elasticity.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity—Bartlett G. Long and H. J. Kurtz, 1051. Discussion, 1066.

Studies to Develop on Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

E

Effect of Temperature.

See **Temperature, Effect of.**

Elasticity.

See **Compression Testing; Tension Testing.**

Electrical Conductors.

Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Electric-Furnace Alloys.

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 155.

Electric Furnaces.

Industrial Survey of Refractory Service Conditions in Electric Furnaces Used in Steel Manufacture. Report of Committee C-8, Appendix, 230.

Electrodeposited Coatings.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

Corrosion of Iron and Steel. Report of Committee A-5, 70.

Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Report of Replies to Questionnaire on Salt Spray Testing. Report of Subcommittee III, Committee B-8, 187.

Use and Misuse of the Salt Spray Test as Applied to Electrodeposited Metallic Finishes—C. H. Sample. Published in ASTM BULLETIN, No. 123, August, 1943, p. 19. Discussion, p. 22.

Electrolytic Corrosion.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.

Electrical Insulating Materials.

Electrical Insulating Materials. Report of Committee D-9, 332.

Electrical Insulating Materials. Report of Sectional Committee C59, 363.

Plastics. Report of Committee D-20, 402.

Proposed Method of Test for Saponification Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix I, 265.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Proposed Routine Method of Test for Gas Content of Insulating Oil. Report of Committee D-9, Appendix II, 345.

Recommendations Affecting Standards for Electrical Insulating Materials. Report of Committee D-9, Appendix I, 340.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Electrical-Resistance and Heating Alloys.

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 155.

Proposed Method of Measurement of Equivalent Yield Stress of Thermostat Metals. Report of Committee B-4, Appendix, 158.

Electronic Materials.

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 155.

Embrittlement.

On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

Emulsified Asphalts.

See **Asphalts.**

Endurance Testing.

See **Fatigue.**

Etching.

See **Grain Size.**

Executive Committee.

Annual Report of the Executive Committee, 32.

Expansion.

See also **Volume Change.**

Discussion. Pressures, Strains, and Other Properties Developed During Carbonization of Coal, Including Proposed Method of Test. Report of Committee D-5, 317.

Proposed Method for Measurement of Pressures Developed During Carbonization of Coal by the Movable Wall Oven. Report of Committee D-5, Appendix V, 310.

Proposed Method of Test for Carbonization Pressure of Bituminous Coal. Report of Committee D-5, Appendix IV, 306.

Proposed Method Test for Expansion Pressure of Coal During Coking. Report of Committee D-5, Appendix I, 293.

Proposed Method of Test for Expansion Properties of Coal for Use in By-Product Coke Ovens by Means of the Bethlehem Test Oven. Report of Committee D-5, Appendix VI, 314.

Exposure Tests.

See **Corrosion; Weathering.**

F

Fabrics.

See **Textile Materials.**

Fatigue.

The Effect of Overstressing and Understressing in Fatigue—J. B. Kommers, 749. Discussion, 763.

Fatigue of Metals. Report of the Research Committee, 108.

The Fatigue Properties of Some Cold-Drawn Nickel-Alloy Wires—John N. Kenyon, 765. Discussion, 771.

Fatigue Tests on Some Copper Alloys in Wire Form—H. L. Burghoff and A. I. Blank, 774. Discussion, 784.

Second Progress Report on the Effect of Size of Specimen on Fatigue Strength of Three Types of Steel—H. F. Moore and D. Morkovin. Report of Research Committee on Fatigue of Metals, Appendix, 109. Discussion, 121.

The Relation Between Results of Repeated Blow Impact Tests and of Fatigue Tests—William N. Findley and Otto E. Hintz, Jr., 1226. Discussion, 1236.

Research. Report of Committee E-9, 419.

Fence.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Fiberboard.

Paper and Paper Products. Report of Committee D-6, 326.

Fibers.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.

Textile Materials. Report of Committee D-13, 385.

Filler Metal.

Filler Metal. Report of Joint Committee, 127.

Finances.

Annual Report of the Executive Committee, 32.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 125.

Finishes.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Use and Misuse of the Salt Spray Test as Applied to Electrodeposited Metallic Finishes—C. H. Sample. Published in ASTM BULLETIN, No. 123, August, 1943, p. 19. Discussion, p. 22.

Fire Brick.

See **Refractories.**

Fire Point.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Fire Tests.

Fire Tests of Materials and Construction. Report of Committee C-5, 221.

Tests of the Fire Resistance and Thermal Properties of Solid Concrete Slabs and Their Significance—Carl A. Menzel, 1099. Discussion, 1148.

Flash Point.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Flexure Testing.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate—Fred Hubbard and H. T. Williams, 1088. Discussion, 1095.

Flow.

Deformation Under Load of Rigid Plastics—Robert Burns, 1194. Discussion, 1200.

Research. Report of Committee E-9, 419.

Freezing-and-Thawing Tests.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity—Bartlett G. Long and H. J. Kurtz, 1051. Discussion. 1066.

Fuel Oil.

See **Petroleum Products.**

G

Galvanic Corrosion.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.

Galvanizing.

See **Zinc Coatings.**

Gas Content Test.

Proposed Routine Method of Test for Gas Content of Insulating Oil. Report of Committee D-9, Appendix II, 345.

Gas Welding.

See **Welds.**

Gaseous Fuels.

Gaseous Fuels. Report of Committee D-3, 282.

Gasoline.

Petroleum Products and Lubricants. Report of Committee D-2, 259.

Gieseler Plastometer.

The Gieseler Method for Measurement of the Plastic Characteristics of Coal—Glenn C. Soth and Charles C. Russell, 1176. Discussion, 1190.

Proposed Method of Test for Plastic Properties of Coal by the Gieseler Type Plastometer. Report of Committee D-5, Appendix III, 301.

Glass.

Glass and Glass Products. Report of Committee C-14, 247.
Electrical Insulating Materials. Report of Committee D-9, 332.
Laboratory Apparatus. Report of Committee E-1 on Methods of Testing, 407.

Glass Textiles.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.
Textile Materials. Report of Committee D-13, 385.

Glues.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Grain Size.

Metallography. Report of Committee E-4, 415.

Gray Iron.

See **Cast Iron.**

Grease.

See **Lubricants.**

H

Hardness Testing.

Methods of Testing. Report of Committee E-1, 407.
The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.
Symposium on the Significance of the Hardness Test of Metals in Relation to Design:
Some Notes on the Indentation Hardness Test—J. M. Lessells, 803.
Conversion Tables, 807.
Selected Bibliography, 813.
Present Types of Hardness Tests—S. R. Williams, 815.
Fundamentals of Hardness Testing—S. L. Hoyt, 835.
General Discussion, 843.
Use of the Shore Durometer for Measuring the Hardness of Synthetic and Natural Rubbers—Rolla H. Taylor. Published in ASTM BULLETIN, No. 123, August, 1943, p. 25. Discussion, p. 30.

Hard Rubber.

See **Rubber Products.**

Heating Elements.

See **Electrical-Resistance and Heating Alloys.**

Heat-Resisting Alloys.

Interpretation of Creep Test Data—P. G. McVetty, 707. Discussion, 728.

Heat of Solution.

A Study of the Heat of Solution Procedure for Determining the Heat of Hydration of Portland Cement—Leo Shartsis and Edwin S. Newman, 905.

Heat Treatment Definitions.

Nomenclature and Definitions. Report of Committee E-8, 417.

High-Temperature Service Materials.

See **Refractories; Temperature, Effect of.**

High Temperature Testing.

See **Temperature, Effect of.**

Hydrogen Ion Determinations.

See **pH Value.**

Hydration.

A Study of the Heat of Solution Procedure for Determining the Heat of Hydration of Portland Cement—Leo Shartsis and Edwin S. Newman, 905.

Hyperbolic Sine Chart.

Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures—A. Nadai and P. G. McVetty, 735. Discussion, 746.

I

Immersion Tests.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.
The Total-Immersion Corrosion Test—W. A. Wesley, 649. Discussion, 659.

Impact Testing.

Impact Testing of Plastics—I. Energy Considerations—David Telfair and Howard K. Nason, 1211. Discussion, 1220.
On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.
The Relation Between Results of Repeated Blow Impact Tests and of Fatigue Tests—William N. Findley and Otto E. Hintz, Jr., 1226. Discussion, 1236.
Research. Report of Committee E-9, 419.
The Strain Aging of Killed Low-Carbon Steel with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Incandescent Lamp Materials.

See **Electrical-Resistance and Heating Alloys.**

Induction Furnaces.

See **Electric Furnaces.**

Industrial Waters.

See **Water.**

Instruments.

See **Apparatus, Laboratory.**

Insulating Materials.

See **Electrical Insulating Materials; Refractories; Thermal Insulating Materials.**

Interpretation of Data.

Interpretation of Creep Test Data—P. G. McVetty, 707. Discussion, 728.

Iron.

See also **Cast Iron; Malleable Iron; Wrought Iron.**
Corrosion of Iron and Steel. Report of Committee A-5, 70.
The Effect of Overstressing and Understressing in Fatigue—J. B. Kommers, 749. Discussion, 763.
Filler Metal. Report of Joint Committee, 127.
Magnetic Properties. Report of Committee A-6, 96.
Some Notes on the Indentation Hardness Test—J. M. Lessells, 803. General Discussion, 843.
The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

Iron-Chromimum-Nickel Alloys.

See **Corrosion-Resisting Alloy Steels; Electrical-Resistance and Heating Alloys.**

Izod Impact.

See **Impact Testing.**

L

Laboratory Apparatus.

See **Apparatus, Laboratory; Thermometers, A.S.T.M.**

Lacquers.

See also **Electrical Insulating Materials.**
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Laminated Arch Construction.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Latex.

See **Rubber Products.**

Laundering Test.

See **Washing Test.**

Lead.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.
Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Factors Underlying Specifications for Electrodeposited Metallic Coating—Edwin M. Baker. Report of Committee B-8, Appendix, 191.
Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

Lead Coatings.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.
Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.
Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Lead-Tin Solders.

Conservation of Tin in Soft Solders—D. L. Colwell and W. C. Lang. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 42.

Lecture.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Light Aging Test.

See **Aging Tests; Weathering.**

Light Metals.

See **Aluminum; Magnesium.**

Lime.

Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime—C. W. Muhlenbruch and Ben Marcin, 870.
Lime. Report of Committee C-7, 224.

Liquid Dielectrics.

See **Askarels; Electrical Insultating Materials; Transformer Oils.**

Low Temparature Testing.

See **Temperature, Effect of.**

Lubricants.

See also **Petroleum Products.**
Oxidation of Turbine Oils. Report of Section III of Technical Committee C, Committee D-2, 263.
Petroleum Products and Lubricants. Report of Committee D-2, 259.
Petroleum Products and Lubricants. Report of Sectional Committee Z11, 281.
Proposed Method of Test for Oxidation Characteristics of Steam-Turbine Oils. Report of Committee D-2, Appendix II, 275.
Proposed Method of Test for Saponification Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix I, 265.

M

Magnesium.

Die-Cast Metals and Alloys. Report of Committee B-6, 173.
Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 177.

Magnetic Testing.

Magnetic Properties. Report of Committee A-6, 96.
The Measurement of A-C. and D-C. Permeability on 28-cm. Test Specimens—J. P. Barton and G. W. Smith, 493. Discussion, 501.

Malleable Iron.

Malleable-Iron Castings. Report of Committee A-7, 100.

Marburg Lecture.

Wood as an Engineering Material—Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Masonry Units.

See **Brick.**

Medal Award.

Seventeenth Award of the Charles B. Dudley Medal. Summary of Proceedings of the Forty-sixth Annual Meeting, 12.

Membership.

Annual Report of the Executive Committee, 32.

Metallic Finishes.

See **Electrodeposited Coatings.**

Metallography.

Metallography. Report of Committee E-4, 415.

Methods of Testing.

See **Chemical Analysis; Testing, Physical Methods of.**

(Papers and reports covering methods of analysis, sampling, testing, etc., are indexed under the materials and subjects covered by them.)

Mica.

Electrical Insulating Materials. Report of Committee D-9, 332.

Mineral Acids.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349

Mixers, Concrete.

Simplified Test for Evaluating the Effectiveness of Concrete Mixers—S. P. Wing, Valens Jones, and R. E. Kennedy, 1001. Discussion, 1014.

Modulus of Elasticity.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity—Bartlett G. Long and H. J. Kurtz, 1051. Discussion, 1066.

Studies to Develop an Accelerated Test Procedure for the Detection of Adversely Reactive Cement-Aggregate Combinations—Thomas E. Stanton, 875. Discussion, 894.

Molded Insulating Materials.

See **Electrical Insulating Materials; Plastics; Thermal Insulating Materials.**

Monel Metal.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

The Total-Immersion Corrosion Test—W. A. Wesley, 649. Discussion, 659.

Mortars.

Lime. Report of Committee C-7, 224.

Measurement of Bond Between Bricks and Mortar—J. C. Pearson, 857. Discussion, 867.

Motor Fuel.

See **Fuel Oil; Gasoline; Petroleum Products.**

Motor Oils.

See **Lubricants; Petroleum Products.**

N

Natural Building Stone.

See **Aggregates.**

Neutralization.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Nickel and Nickel Alloys.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

The Fatigue Properties of Some Cold-Drawn Nickel-Alloy Wires—John N. Kenyon, 765. Discussion, 771.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

Nickel-Chromium Alloys.

See **Alloy Steel; Corrosion-Resisting Alloy Steel; Electrical Resistance and Heating Alloys.**

Nickel-Copper Alloys.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

Nickel-Silver Alloy.

See also **Brass; Bronze.**

Nitrogen in Steel.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Nomenclature.

Nomenclature and Definitions. Report of Committee E-8, 417.

Notched Specimens.

The Effect of Overstressing and Understressing in Fatigue—J. B. Kommers, 749. Discussion, 763.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

O

Oils.

See also **Lubricants; Petroleum Products; Transformer Oils.**

Accelerated Weathering of Bituminous Materials—Effect of Operating Variables—Bruce Weetman, 1154. Discussion, 1162.

A Method for the Testing and Evaluation of Road Tars—E. O. Rhodes and H. E. Gillander, 1165.

Overstressing.

The Effect of Overstressing and Understressing in Fatigue—J. B. Kommers, 749. Discussion, 763.

Oxidation Test.

Oxidation of Turbine Oils. Report of Section III of Technical Committee C, Committee D-2, 263.

Proposed Method of Test for Oxidation Characteristics of Steam-Turbine Oils. Report of Committee D-2, Appendix II, 275.

P

Paints.

See also **Electrical Insulating Materials.**

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.

Paper.

Electrical Insulating Materials. Report of Committee D-9, 332.

Paper and Paper Products. Report of Committee D-6, 326.

Papers and Publications.

Annual Report of the Executive Committee 32.

Summary of Proceedings of the Forty-sixth Annual Meeting, 1.

Particle Size.

Methods of Testing. Report of Committee E-1, 407.

Paving Materials.

See **Aggregates; Asphalt; Brick; Cement; Concrete; Soils.**

Penetration.

See **Consistency.**

Permeability.

See also **Magnetic Testing.**

The Measurement of A-C. and D-C. Permeability on 28-cm. Test Specimens—J. P. Barton and G. W. Smith, 493. Discussion, 501.

Petroleum Products.

Oxidation of Turbine Oils. Report of Section III of Technical Committee C, Committee D-2, 263.

Petroleum Products and Lubricants. Report of Committee D-2, 259.

Petroleum Products and Lubricants. Report of Sectional Committee Z11, 281.

Proposed Method of Test for Oxidation Characteristics of Steam-Turbine Oils. Report of Committee D-2, Appendix II, 275.

Petroleum Products (*Continued*):

Proposed Method of Test for Saponification Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix I, 265.

Proposed Routine Method of Test for Gas Content of Insulating Oil. Report of Committee D-9, Appendix II, 345.

Phenolic Materials.

See **Electrical Insulating Materials; Plastics.**

pH Value.

Methods of Testing. Report of Committee E-1, 407.

Pigments.

See also **Paints.**

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Plastic Bending.

Experiments on Plastic Bending for Aluminum Alloy 17S-T—Joseph Marin and F. D. Cotterman, 581. Discussion, 596.

Plastic Properties.

The Gieseler Method for Measurement of the Plastic Characteristics of Coal—Glenn C. Soth and Charles C. Russell, 1176. Discussion, 1190.

Proposed Method of Test for Plastic Properties of Coal by the Davis Type Plastometer. Report of Committee D-5, Appendix II, 297.

Proposed Method of Test for Plastic Properties of Coal by the Gieseler Type Plastometer. Report of Committee D-5, Appendix III, 301.

Plastic Refractories.

See **Refractories.**

Plastics.

See also **Electrical Insulating Materials.**

Deformation Under Load of Rigid Plastics—Robert Burns, 1194. Discussion, 1200.

Electrical Insulating Materials. Report of Committee D-9, 332.

Impact Testing of Plastics—I. Energy Considerations—David Telfair and Howard K. Nason, 1211. Discussion, 1220.

Plastics. Report of Committee D-20, 402.

The Relation Between Results of Repeated Blow Impact Tests and of Fatigue Tests—William N. Findley and Otto E. Hintz, Jr., 1226. Discussion, 1236.

Relaxation of Rubber-Like Materials—Irving L. Hopkins, 1202. Discussion, 1209.

Research. Report of Committee E-9, 419.

Plasticized Wood.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Plating.

See **Electrodeposited Coatings.**

Plywood.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Pole Figures.

Preferred Orientations in Rolled Metals: Construction of Pole Figures—Beulah Field Decker, 785.

Portland Cement.

See **Cement.**

Pour Point.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Powder Metallurgy.

Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.

Preferred Orientation.

Preferred Orientations in Rolled Metals: Construction of Pole Figures—Beulah Field Decker, 785.

Presidential Address.

The Ralation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.

Publications.

See **Papers and Publications.**

Q

Quicklime.

See **Lime.**

R

Radiographic Testing.

Diagnoisis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrison, 1289.

Preferred Orientations in Rolled Metals: Construction of Pole Figures—Beulah Field Decker, 785.

Symposium on the Identification of Water-Formed Deposits, Scales and Corrosion Products by Physico-Chemical Methods:

Introduction—H. C. Miller, 1269.

X-ray Diffraction Methods in the Study of Power Plant Deposits—C. E. Imhoff and L. A. Burkardt, 1276.

Diagnosis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrison, 1289.

The Interpretation of Analyses and Problems Encountered in Water Deposits—J. A. Holmes and A. O. Walker, 1301.

General Discussion, 1308.

Radio Materials.

See **Electrical-Resistance and Heating Alloys; Electronic Materials.**

Rayon.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.

Textile Materials. Report of Committee D-13, 385.

Reflectivity.

Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime—C. W. Muhlenbruch and Ben Marcin, 870.

Refractive Index.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Refractories.

Industrial Survey of Refractory Service Conditions in Electric Furnaces Used in Steel Manufacture. Report of Committee C-8, Appendix, 230.

Refractories. Report of Committee C-8, 225.

Relaxation.

Relaxation of Rubber-Like Materials—Irving L. Hopkins, 1202. Discussion, 1209.

Research.

Annual Report of the Executive Committee, 32.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 125.

Fatigue of Metals. Report of the Research Committee, 108.

Research. Report of Committee E-9, 419.

Second Progress Report on the Effect of Size of Specimen on Fatigue Strength of Three Types of Steel—H. F. Moore and D. Morkovin. Report of Research Committee on Fatigue of Metals, Appendix, 109. Discussion, 121.

Resins.

See **Plastics; Shellac; Soaps and Detergents; Varnish.**

Resistance Alloys.

See **Electrical-Resistance and Heating Alloys.**

Road Materials.

See also **Aggregates, Asphalt; Brick; Cement, Concrete; Soils.**

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Road and Paving Materials. Report of Committee D-4, 284.

Road Materials (*Continued*).

Road and Paving Materials. Report of Sectional Committee A37, 286.
Soils for Engineering Purposes. Report of Committee D-18, 393.

Road Oils.

A Method for the Testing and Evaluation of Road Tars—E. O. Rhodes and H. E. Gillander, 1165.

Rockwell Hardness.

See **Hardness Testing.**

Roofing Materials.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 330.
Paper and Paper Products. Report of Committee D-6, 326.

Rotating-Beam Fatigue Test.

The Fatigue Properties of Some Cold-Drawn Nickel-Alloy Wires—John N. Kenyon, 765. Discussion, 771.
Fatigue Tests on Some Copper Alloys in Wire Form—H. L. Burghoff and A. I. Blank, 774. Discussion, 784.

Rubber Products.

Relaxation of Rubber-Like Materials—Irving L. Hopkins, 1202. Discussion, 1209.
Rubber Products. Report of Committee D-11, 365.
Use of the Shore Durometer for Measuring the Hardness of Synthetic and Natural Rubbers—Rolla H. Taylor. Published in ASTM BULLETIN, No. 123, August, 1943, p. 25. Discussion, p. 30.

S

Salt Spray Tests.

See also **Corrosion.**
A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.
Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.
Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.
Report of Replies to Questionnaire on Salt Spray Testing. Report of Subcommittee III, Committee B-8, 187.
Use and Misuse of the Salt Spray Test as Applied to Electrodeposited Metallic Finishes—C. H. Sample. Published in ASTM BULLETIN, No. 123, August, 1943, p. 19. Discussion, p. 22.

Sampling.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Sand Castings.

See **Castings.**

Saponification Number.

Proposed Method of Test for Saponification Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix I, 265.

Seasoning.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Sea Water Corrosion.

See **Corrosion; Immersion Tests.**

Sheet Metal.

The Atmospheric Corrosion of Copper—A. W. Tracy, D. H. Thompson, and John R. Freeman, Jr., 615. Discussion, 647.
Preferred Orientations in Rolled Metals: Construction of Pole Figures—Beulah Field Decker, 785.
A Test for Measuring Drawability of Deep-Drawing Steels—Francis W. Boulger and F. B. Dahle, 503. Discussion, 519.

Shellac.

Electrical Insulating Materials. Report of Committee D-9, 332.
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Shingles.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 330.

Signifiance of Tests.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Sine Chart.

Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures—A. Nadai and P. G. McVetty, 735. Discussion, 746.

Slag.

Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate—Fred Hubbard and H. T. Williams, 1088. Discussion, 1095.

Slow-Curing Asphalts.

A Method for Evaluating Performance in Service of Slow-Curing Asphalts—Joseph Zapata. Published in ASTM BULLETIN, No. 124, October, 1943, p. 31. Discussion, p. 38.

Soaps and Detergents.

Cooperative Studies on a Laboratory Method for Evaluating Synthetic Detergents—J. B. Crowe. Report of Committee D-12, Appendix, 378.

Soaps and Other Detergents. Report of Committee D-12, 374.

Soils.

Road and Paving Materials. Report of Committee D-4, 284.

Soils for Engineering Purposes. Report of Committee D-18, 393.

Soiled Fabric Test.

Cooperative Studies on a Laboratory Method for Evaluating Synthetic Detergents—J. B. Crowe. Report of Committee D-12, Appendix, 378.

Solder.

Conservation of Tin in Soft Solders—D. L. Colwell and W. C. Lang. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 42.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 131.

The Testing and Properties of Low-Tin Solders Listed in Recent Federal Specifications—J. A. Kies and W. F. Roeser, 600. Discussion, 613.

Specific Gravity.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Specimens.

See **Test Specimens.**

Spectrographic Analysis.

Spectrographic Analysis. Report of Committee E-2, 411.

Sponge Rubber.

See **Rubber Products.**

Stainless Steel.

See **Alloy Steel; Steel.**

Standardization.

Annual Report of the Executive Committee, 32.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.

Standards. Report of Committee E-10, 422.

Summary of Proceedings of the Forty-sixth Annual Meeting, 1.

Statistical Analysis.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Methods of Testing. Report of Committee E-1, 407.

Steel.

Chemical Analysis of Metals. Report of Committee E-3, 413.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

Steel (*Continued*).

Corrosion of Iron and Steel. Report of Committee A-5, 70.

The Effect of Overstressing and Understressing in fatigue—J. B. Kommers, 749. Discussion, 763.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 125.

Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Fatigue of Metals. Report of the Research Committee, 108.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

Filler Metal. Report of Joint Committee, 127.

Industrial Survey of Refractory Service Conditions in Electric Furnaces Used in Steel Manufacture. Report of Committee C-8, Appendix, 230.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 101.

Magnetic Properties. Report of Committee A-6, 96.

Metallography. Report of Committee E-4, 415.

Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Proposed Revisions in Standards for Steel. Report of Committee A-1, Appendix, 65.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Committee A-5, 72.

Second Progress Report on the Effect of Size of Specimen on Fatigue Strength of Three Types of Steel—H. F. Moore and D. Morkovin. Report of Research Committee on Fatigue of Metals, Appendix, 109. Discussion, 121.

Some Notes on the Indentation Hardness Test—J. M. Lessells, 803. General Discussion, 843.

Steel. Report of Committee A-1, 56.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Structure and Creep Characteristics of Cast Carbon-Molybdenum Steel at 950 F.—H. E. Montgomery and John Urban. Published in ASTM BULLETIN, No. 125, December, 1943, p. 13. Discussion, p. 16.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

A Test for Measuring Drawability of Deep-Drawing Steels—Francis W. Boulger and F. B. Dahle, 503. Discussion, 519.

The Total-Immersion Corrosion Test—W. A. Wesley, 649. Discussion 659.

On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

Stone.

See **Aggregates.**

Strain Aging.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Strength Variations.

Variations in Strength of Portland Cements Conforming to the Same Specifications and the Relation of Such Variations to Concrete Control—S. P. Wing and Arthur Ruettgers, 917. Discussion, 941.

Substitute Materials.

Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Sulfonated Oils.

See **Soaps and Detergents.**

Sulfur, Free and Corrosive.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Summary of Proceedings.

Summary of Proceedings of the Forty-sixth Annual Meeting, 1.

Symbols.

See **Nomenclature.**

Synthetic Detergents.

See **Soaps and Detergents.**

Synthetic Rubber.

Rubber Products. Report of Committee D-11, 365.

Use of the Shore Durometer for Measuring the Hardness of Synthetic and Natural Rubbers —Rolla H. Taylor. Published in ASTM BULLETIN, No. 123, August, 1943, p. 25. Discussion, p. 30.

T

Tar.

See also **Road Materials; Waterproofing Materials.**

A Method for the Testing and Evaluation of Road Tars—E. O. Rhodes and H. E. Gillander, 1165.

Temperature, Effect of.

Discussion. Pressures, Strains, and Other Properties Developed During Carbonization of Coal, Including Proposed Method of Test. Report of Committee D-5, 317.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 125.

Electrical-Heating, Electrical-Resistance and Electrical-Furnace Alloys. Report of Committee B-4, 155.

Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures—A. Nadai and P. G. McVetty, 735. Discussion, 746.

Interpretation of Creep Test Data—P. G. McVetty, 707. Discussion, 728.

Proposed Method for Measurement of Pressures Developed During Carbonization of Coal by the Movable Wall Oven. Report of Committee D-5, Appendix V, 310.

Proposed Method of Test for Carbonization Pressure of Bituminous Coal. Report of Committee D-5, Appendix IV, 306.

Proposed Method of Test for Expansion Pressure of Coal During Coking. Report of Committee D-5, Appendix I, 293.

Proposed Method of Test for Expansion Properties of Coal for Use in By-Product Coke Ovens by Means of the Bethlehem Test Oven. Report of Committee D-5, Appendix VI, 314.

Proposed Method of Test for Plastic Properties of Coal by the Davis Type Plastometer. Report of Committee D-5, Appendix II, 297.

Proposed Method of Test for Plastic Properties of Coal by the Gieseler Type Plastometer. Report of Committee D-5, Appendix III, 301.

Research. Report of Committee E-9, 419.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

Tension Testing.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 125.

Interpretation of Creep Test Data—P. G. McVetty, 707. Discussion, 728.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels—P. G. Jones, 547. Discussion, 554.

Testing, Physical Methods of.

(Papers and reports covering methods of analysis, sampling, testing, etc., are indexed under the materials and subjects covered by them.)

Methods of Testing. Report of Committee E-1, 407.

Test Specimens.

Second Progress Report on the Effect of Size of Specimen on Fatigue Strength of Three Types of Steel—H. F. Moore and D. Morkovin. Report of Research Committee on Fatigue of Metals, Appendix, 109. Discussion, 121.

Textile Materials.

Cooperative Studies on a Laboratory Method for Evaluating Synthetic Detergents—J. B. Crowe. Report of Committee D-12, Appendix, 378.

Proposed Revisions in Standards for Textile Materials. Report of Committee D-13, Appendix, 390.

The Relation of the A.S.T.M to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.

Textile Materials. Report of Committee D-13, 385.

Thermal Insulating Materials.

Thermal Insulating Materials. Report of Committee C-16, 251.

Thermal Properties.

Tests of the Fire Resistance and Thermal Properties of Solid Concrete Slabs and Their Significance—Carl A. Menzel, 1099. Discussion, 1148

Thermometers, A.S.T.M.

Methods of Testing. Report of Committee E-1, 407.

Thermosetting and Thermoplastic Materials.

See **Plastics.**

Thermostat Metals.

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 155.

Proposed Method of Measurement of Equivalent Yield Stress of Thermostat Metals. Report of Committee B-4, Appendix, 158.

Thickness of Coatings.

Factors Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.

Timber.

Fire Tests of Materials and Construction. Report of Committee C-5, 221.

Wood as an Engineering Material. Eighteenth Edgar Marburg Lecture—L. J. Markwardt, 435.

Tin.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.

Conservation of Tin in Soft Solders—D. L. Colwell and W. C. Lang. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 42.

Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Tin Solders.

The Testing and Properties of Low-Tin Solders listed in Recent Federal Specifications—J. A. Kies and W. F. Roeser, 600. Discussion, 613.

Titanium Steel.

The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium—George F. Comstock, 521. Discussion, 542.

Total Immersion Tests.

See **Immersion Tests.**

Traffic Paint.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Transformer Oils.

Electrical Insulating Materials. Report of Committee D-9, 332.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Proposed Method of Test for Saponification Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix I, 265.

Proposed Routine Method of Test for Gas Content of Insulating Oil. Report of Committee D-9, Appendix II, 345.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

Transverse Testing.

See **Flexure Testing.**

Turbine Oils.

Oxidation of Turbine Oils. Report of Section III of Technical Committee C, Committee D-2, 263.

Proposed Method of Test for Oxidation Characteristics of Steam-Turbine Oils. Report of Committee D-2, Appendix III, 275.

U

Understressing.

The Effect of Overstressing and Understressing in Fatigue—J. B. Kommers, 749. Discussion, 763.

Uniformity of Concrete.

Simplified Test for Evaluating the Effectiveness of Concrete Mixers—S. P. Wing, Valens Jones, and R. E. Kennedy, 1001. Discussion, 1014.

V

Varnish.

See also **Electrical Insulating Materials.**

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.

Vicker Hardness.

See **Hardness Testing.**

Vinsol Resin Addition.

Effect of Air-Entrapping Portland Cement on the Resistance to Freezing an Thawing of Concrete Containing Inferior Coarse Aggregate—E. O. Axon, T. F. Willis, and F. V. Reagel, 981. Discussion, 995.

Viscosity.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix IV, 353.

Significance of Tests of Electrical Insulating Liquids. Report of Committee D-9, Appendix III, 349.

W

War Activities.

Annual Report of the Executive Committee, 32.

Washing Test.

Cooperative Studies on a Laboratory Method for Evaluating Synthetic Detergents—J. B. Crowe. Report of Committee D-12, Appendix, 378.

Water.

Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants—R. C. Ulmer, J. M. Reynar, and J. M. Decker, 1258. Discussion, 1267.

Field and Laboratory Determination of Dissolved Oxygen—Robert C. Adams, Robert E. Barnett, and Daniel E. Keller, Jr., 1240. Discussion, 1254.

Scope of Committee D-19 and Its Subcommittees, Report of Committee D-19, Appendix, 400.

Symposium on the Identification of Water-Formed Deposits, Scales, and Corrosion Products by Physico-Chemical Methods:

Introduction—H. C. Miller, 1269.

X-ray Diffraction Methods in the Study of Power Plant Deposits—C. E. Imhoff and L. A. Burkardt, 1276.

Diagnosis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrison, 1289.

The Interpretation of Analyses and Problems Encountered in Water Deposits—J. A. Holmes and A. O. Walker, 1301.

General Discussion, 1308.

Water for Industrial Uses. Report of Committee D-19, 396.

Waterproofing Materials.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 330.

Wear.

Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.

Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.

Weathering.

See also **Corrosion; Freezing-and-Thawing Tests.**

Accelerated Weathering of Bituminous Materials—Effect of Operating Variables—Bruce Weetman, 1154. Discussion, 1162.

Weathering (*Continued*).

The Atmospheric Corrosion of Copper—A. W. Tracy, D. H. Thompson, and John R. Freeman, Jr., 615. Discussion, 647.
Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.
Chromium Plate in Engineering Applications—Its Thickness and Finishing—T. G. Coyle, 556.
A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix, 182.
Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 135.
Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity—Bartlett G. Long and H. J. Kurtz, 1051. Discussion, 1066.
Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.
A Method for Evaluating Performance in Service of Slow-Curing Asphalts—Joseph Zapata. Published in ASTM BULLETIN, No. 124, October, 1943, p. 31. Discussion, p. 38.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Report of Committee C-1, Appendix, 199.
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 254.
Properties of Plated Lead Coatings on Steel—K. Gustaf Soderberg, 562. Discussion, 569.
Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Committee A-5, 72.
Report of Replies to Questionnaire on Salt Spray Testing. Report of Subcommittee III, Committee B-8, 187.

Welds.

Filler Metal. Report of Joint Committee, 127.

Wiping Solders.

Conservation of Tin in Soft Solders—D. L. Colwell and W. C. Lang. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 42.

Wire.

See also **Steel.**
The Atmospheric Corrosion of Copper—A. W. Tracy, D. H. Thompson, and John R. Freeman, Jr., 615. Discussion, 647.
Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 129.
Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 155.
The Fatigue Properties of Some Cold-Drawn Nickel-Alloy Wires—John N. Kenyon, 765. Discussion, 771.
Fatigue Tests on Some Copper Alloys in Wire Form—H. L. Burghoff and A. I. Blank, 774. Discussion, 784.
Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.
Lead-Alloy Coated Copper Wire for Electrical Conductors—C. J. Snyder, 571. Discussion, 580.

Wood.

See **Timber.**

Wool.

The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, Herbert J. Ball, 24.
Textile Materials. Report of Committee D-13, 385.

Wrought Iron.

Corrosion of Iron and Steel. Report of Committee A-5, 70.
Magnetic Properties. Report of Committee A-6, 96.
Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 72.

X

X-ray.

See **Metallography; Radiographic Testing.**

X-ray Diffraction.

Symposium on the Identification of Water-Formed Deposits, Scales and Corrosion Products by Physico-Chemical Methods: Introduction—H. C. Miller, 1269.
X-ray Diffraction Methods in the Study of Power Plant Deposits—C. E. Imhoff and L. A. Burkardt, 1276.
Diagnosis of Water Problems at Limbo Station—Everett P. Partridge, R. K. Scott, and P. H. Morrison, 1289.
The Interpretation of Analyses and Problems Encountered in Water Deposits—J. A. Holmes and A. O. Walker, 1301.
General Discussion, 1308.

Y

Yarns.

See **Textile Materials.**

Yield Strength.

The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures—D. J. McAdam, Jr., and R. W. Mebs, 661. Discussion, 704.

Yield Stress.

Proposed Method of Measurement of Equivalent Yield Stress of Thermostat Metals. Report of Committee B-4, Appendix, 158.

Z

Zinc.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 137.
Die-Cast Metals and Alloys. Report of Committee B-6, 173.
Electrodeposited Metallic Coatings. Report of Committee B-8, 184.

Zinc Coatings.

Corrosion of Iron and Steel. Report of Committee A-5, 70.
Factor Underlying Specifications for Electrodeposited Metallic Coatings—Edwin M. Baker. Report of Committee B-8, Appendix, 191.
Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 78.

AUTHOR INDEX
VOLUME 43

A

Abrams, Duff A.
Discussion, 946, 1014.

Adams, Robert C.
Field and Laboratory Determination of Dissolved Oxygen, 1240. Discussion, 1256.

Almen, J. O.
Discussion, 1239.

Altieri, V. J.
Discussion, 317.

Anderegg, F. O.
Discussion, 868.

Anderson, E. A.
Report of Committee B-8 on Electrodeposited Metallic Coatings, 186.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 23.

Anderson, R. P.
Report of Committee D-2 on Petroleum Products and Lubricants, 259.

Axon, E. O.
Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate, 981. Discussion, 1000.

B

Baker, E. M.
Factors Underlying Specifications for Electrodeposited Metallic Coatings. Appendix, Report of Committee B-8, 191.
Report of Committee B-8 on Electrodeposited Metallic Coatings, 184.

Balke, Clarence W.
The Effect of Pressure on the Properties of Compacts. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.

Ball, A. L.
Discussion, 847.

Ball, H. J.
Annual Report of the Executive Committee, 32.
The Relation of the A.S.T.M. to the Textile Industry. Annual Address by the President, 24.
Report of Committee D-13 on Textile Materials, 385.

Barnett, Robert E.
Field and Laboratory Determination of Dissolved Oxygen, 1240.

Barton, J. P.
The Measurement of a-c. and d-c. Permeability on 28-cm. Test Specimens, 493.

Bash, F. E.
Report of Committee B-4 on Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys, 155.

Bashore, H. H.
Discussion, 1223.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 30.

Bates, P. H.
Report of Committee C-1 on Cement, 195.
Discussion, 941.

Beasley, M. R.
Discussion, 1163.

Bellis, A.
Discussion, 580.

Berg, R. M.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 30.

Betty, B. B.
Discussion, 771.

Bigler, H. P.
Report of Committee A-1 on Steel, 56.

Bingham, Eugene C.
Discussion, 846.

Blackmore, Paul O.
Protective Concealment Paints. Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.

Blank, A. I.
Fatigue Tests on Some Copper Alloys in Wire Form, 774. Discussion, 784.

Blanks, R. F.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 199.

Bolton, J. W.
Report of Committee A-3 on Cast Iron, 68.
Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 125.
Boughton, E. W.
Surface Coating of Calcium Carbonate Extenders. Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.
Boulger, Francis W.
A Test for Measuring Drawability of Deep-Drawing Steels, 503. Discussion, 519, 520. Discussion, 543.
Bowman, J. J.
Report of Committee E-4 on Metallography, 415.
Boyd, J. E.
Discussion, 1095.
Boyd, T. A.
Report of Committee D-2 on Petroleum Products and Lubricants, 259.
Report of Sectional Committee Z11 on Petroleum Products and Lubricants, 281.
Bradley, John J., Jr.
Blackout Paints. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Paint, 1311.
Brewer, Ralph E.
Discussion, 1190.
Bright, H. A.
Report of Committee E-3 on Chemical Analysis of Metals, 413.
Brown, R. H.
Discussion, 659.
Burghoff, H. L.
Fatigue Tests on Some Copper Alloys in Wire Form, 774. Discussion, 784.
Burgwin, S. L.
Discussion, 502.
Burkardt, L. A.
X-ray Diffraction Methods in the Study of Power Plant Deposits, 1276.
Burns, Robert.
Deformation Under Load of Rigid Plastics, 1194. Discussion, 1200.
Report of Committee D-20 on Plastics, 402.

C

Carlson, E. T.
Discussion, 965.
Carpenter, Arthur W.
Report of Committee D-11 on Rubber Products, 365.
Discussion, 1209, 1210.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 30.
Chapman, Cloyd M.
Report of Committee E-8 on Nomenclature and Definitions, 417.
Churchill, H. V.
Report of Committee E-2 on Spectrographic Analysis, 411.
Clemmer, H. F.
Report of Sectional Committee A37 on Road and Paving Materials, 286.
Colwell, D. L.
Conservation of Tin in Soft Solders. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 43.
Comstock, George F.
The Strain Aging of Killed Low-Carbon Steel, with Particular Reference to the Effect of Titanium, 521. Discussion, 544.
Conner, R. M.
Report of Committee D-3 on Gaseous Fuels, 282.
Conrow, A. D.
Discussion, 995, 1066.
Cope, E. T.
Report of Committee C-16 on Thermal Insulating Materials, 251.
Cotterman, F. D.
Experiments on Plastic Bending for Aluminum Alloy 17S-T, 581. Discussion, 599.
Coyle, T. G.
Chromium Plate in Engineering Applications —Its Thickness and Finishing, 556.
Cross, Howard C.
Discussion, 746.
Crowe, J. B.
Cooperative Studies on a Laboratory Method for Evaluating Synthetic Detergents. Appendix, Report of Committee D-12, 378.
Curtis, H. L.
Report of Sectional Committee C59 on Electrical Insulating Materials, 363.

D

Dahle, F. B.
A Test for Measuring Drawability of Deep-Drawing Steels, 503. Discussion, 520. Discussion, 543.

Dakin, T. W.
Discussion, 1200.
Dalcher, L. M.
Report of Joint Committee on Filler Metal, 127.
Dantsizen, C.
Report of Section III, Technical Committee C of Committee D-2, on Oxidation of Turbine Oils, 263.
Davis, C. H.
Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought, 162.
Davis, Myron P.
Report of Committee D-9 on Electrical Insulating Materials, 332.
Discussion, 613.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 30.
Decker, Beulah Field.
Preferred Orientations in Rolled Metals: Construction of Pole Figures, 785.
Decker, J. M.
Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants, 1258. Discussion, 1268.
Discussion, 1256.
Deppeler, J. H.
Report of Joint Committee on Filler Metal, 127.
Dixon, E. O.
Discussion, 846.
Dixon, J. B.
Report of Committee A-5 on Corrosion of Iron and Steel, 70.

E

Edwards, Junius D.
A Comparison of the Performance of Anodic Coatings on Wrought Aluminum Alloys when Exposed to Salt Spray and to the Weather. Appendix, Report of Committee B-7, 182.
Endersby, V. A.
Discussion, 1164.
Discussion published in ASTM BULLETIN, No. 124, October, 1943, pp. 38, 39.
Epstein, Bernard.
Discussion, 1224.
Evans, W. A.
Report of Committee D-9 on Electrical Insulating Materials, 332.

F

Fieldner, A. C.
Report of Committee D-5 on Coal and Coke, 288.
Findley, William N.
The Relation Between Results of Repeated Blow Impact Tests and of Fatigue Tests, 1226. Discussion, 1236, 1237, 1238, 1239.
Discussion, 1200, 1210, 1223.
Fink, W. L.
Discussion, 704.
Finkeldey, W. H.
Report of Subcommittee VI, Committee B-3, on Atmospheric Corrosion of Non-Ferrous Metals and Alloys, 137.
Foote, J. H.
Report of Committee B-1 on Copper and Copper-Alloy Wires for Electrical Conductors, 129.
Forrest, C. N.
Report of Committee D-4 on Road and Paving Materials, 284.
Freeman, John R., Jr.
The Atmospheric Corrosion of Copper, 615.
Freeman, P. J.
Discussion, 946.
Fulweiler, W. H.
Report of Committee E-1 on Methods of Testing, 407.

G

Gauger, A. W.
Report of Committee D-3 on Gaseous Fuels, 282.
Gillander, H. E.
A Method for the Testing and Evaluation of Road Tars, 1165.
Goetz, A. C.
Summary of Protective Coatings Raw Materials Situation. Published in ASTM BULLETIN, No. 121, March, 1943, p. 15; see also Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.
Greenall, C. H.
Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought, 162.

Greenberg, S. A.
Report of Joint Committee on Filler Metal, 127.

H

Hall, R. E.
Report of Committee D-19 on Water for Industrial Uses, 396.
Hanna, W. C.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 208. Discussion, 894, 941.
Hardy, Charles.
The Fundamentals Necessary to Apply Powder Metallurgy. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.
Harnden, G. H.
Report of Committee D-6 on Paper and Paper Products, 326.
Harvey, Dean.
Report of Committee B-4 on Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys, 155.
Hecht, Max.
Report of Committee D-19 on Water for Industrial Uses, 396.
Herndon, L. K.
Report of Committee C-7 on Lime, 224.
Hess, R. E.
Report of Committee E-8 on Nomenclature and Definitions, 417.
Report of Committee E-10 on Standards, 422.
Report of Sectional Committee A37 on Road and Paving Materials, 286.
Report of Sectional Committee C59 on Electrical Insulating Materials, 363.
Report of Sectional Committee Z11 on Petroleum Products and Lubricants, 281.
Heussner, C. E.
Discussion, 570.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 23.
Heyer, Robert H.
Discussion 598.
Hibbard, W. R.
Discussion, 580.
Hiers, G. O.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 43.
Hill, C. A.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 43.
Hintz, Otto E., Jr.
The Relation Between Results of Repeated Blow Impact Tests and of Fatigue Tests, 1226.
Hocker, C. D.
Report of Committee A-5 on Corrosion of Iron and Steel, 70.
Report of Wire Inspection Committee on Field Tests of Wire and Wire Products, Committee A-5, 78.
Discussion, 569.
Hoffmanns, F. E.
Discussion, 1210.
Hogentogler, C. A.
Report of Committee D-18 on Soils for Engineering Purposes, 393.
Holmes, A.
Discussion, 1163.
Holmes, J. A.
The Interpretation of Analyses and Problems Encountered in Water Deposits, 1301. Discussion, 1308.
Hopkins, Irving L.
Relaxation of Rubber-Like Materials. 1202. Discussion 1209, 1210.
Discussion, 1220.
Horger, O. J.
Discussion, 121.
Hornibrook, F. B.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 218.
Discussion, 899.
Hostetter, J. C.
Report of Committee C-14 on Glass and Glass Products, 247.
Howell, F. M.
Discussion, 843.
Hoyt, S. L.
Fundamentals of Hardness Testing, 835.
Discussion, 554.
Hubbard, Fred.
Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate, 1088. Discussion, 1096.
Hubbard, Prévost.
Report of Committee D-4 on Road and Paving Materials, 284.
Report of Committee D-8 on Bituminous Waterproofing and Roofing Materials, 330.

I

Iddings, Carl.
Emulsion Paints. Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.
Imhoff, C. E.
X-ray Diffraction Methods in the Study of Power Plant Deposits, 1276. Discussion, 1309.
Ingberg, S. H.
Discussion, 1148.
Ingmanson, J. H.
Report of Committee D-11 on Rubber Products, 365.
Discussion, 1209.
Insley, H.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 218.

J

Jackson, F. H.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 215.
Report of Committee C-9 on Concrete and Concrete Aggregates, 241.
Jenks, G. F.
Report of Committee E-9 on Research, 419.
Jones, P. G.
On the Transition from a Ductile to a Brittle Type of Fracture in Several Low-Alloy Steels, 547. Discussion, 554.
Jones, Valens.
Simplified Test for Evaluating the Effectiveness of Concrete Mixers, 1001. Discussion, 1038.

K

Kalischer, P. R.
The Effect of Particle Size on the Shrinkage of Metal Compacts. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.
Kanter, J. J.
Discussion, 554, 746.
Kearfott, A. J.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 30.
Keller, Daniel E., Jr.
Field and Laboratory Determination of Dissolved Oxygen, 1240.
Kennedy, R. E.
Simplified Test for Evaluating the Effectiveness of Concrete Mixers, 1001. Discussion, 1038.
Kenyon, John N.
The Fatigue Properties of Some Cold-Drawn Nickel-Alloy Wires, 765. Discussion, 772. Discussion, 784.
Kerr, H. J.
Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 125.
Kies, J. A.
The Testing and Properties of Low-Tin Solders Listed in Recent Federal Specifications, 600. Discussion, 613.
Kinney, W. M.
Discussion, 941.
Kommers, J. B.
The Effect of Overstressing and Understressing in Fatigue, 749. Discussion, 764.
Kurtz, H. J.
Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity, 1051. Discussion, 1067.
Kuzmick, J. F.
Metal Powder Friction Materials. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.

L

Lang, W. C.
Conservation of Tin in Soft Solders. Published in ASTM BULLETIN, No. 123, August, 1943, p. 37. Discussion, p. 43.
LaQue, F. L.
Discussion, 647.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 23.
Larson, L. J.
Discussion, 543.
Lashar, T. H.
Alloy Powders. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.
Leaderman, Herbert.
Discussion, 1085.
Leavitt, H. W.
Discussion, 943.
Lessells, J. M.
Some Notes on the Indentation Hardness Test, 803. Discussion, 856.

Long, Bartlett, G.
Effect of Curing Methods upon the Durability of Concrete as Measured by Changes in the Dynamic Modulus of Elasticity, 1051. Discussion, 1067.
Low, J. R.
Discussion, 519.
Lundell, G. E. F.
Report of Committee E-3 on Chemical Analysis of Metals, 413.

M

Macht, M. L.
Discussion, 1209.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 30.
Mackenzie, J. T.
Report of Committee A-3 on Cast Iron, 68.
Marcin, Ben.
Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime, 870.
Marin, Joseph.
Experiments on Plastic Bending for Aluminum Alloy 17S-T, 581. Discussion, 599.
Markwardt, L. J.
Wood as an Engineering Material—Eighteenth Edgar Marburg Lecture, 435.
McAdam, D. J., Jr.
The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures, 661. Discussion, 705.
Discussion, 542.
McBurney, J. W.
Discussion, 867.
McHenry, Douglas.
A New Aspect of Creep in Concrete and Its Application to Design, 1069.
McVetty, P. G.
Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures, 735. Discussion, 747.
Interpretation of Creep Test Data, 707. Discussion, 733.
Mebs, R. W.
The Technical Cohesive Strength and Other Mechanical Properties of Metals at Low Temperatures, 661. Discussion, 705.
Meigs, D. P.
Discussion, 1209.
Menzel, Carl A.
Tests of the Fire Resistance and Thermal Properties of Solid Concrete Slabs and Their Significance, 1099. Discussion, 1151.
Meussner, Russell A.
The Influence of Homogenization upon the Physical Properties of Copper-Nickel Powder Alloys. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.
Meyer, L. W. A.
Report of Committee D-20 on Plastics, 402.
Miller, H. C.
Introduction to Symposium on the Identification of Water-Formed Deposits, Scales and Corrosion Products by Physico-Chemical Methods, 1269.
Miller, J. S.
Discussion, 1163.
Miller, R. P.
Report of Committee C-5 on Fire Tests of Materials and Construction, 221.
Miller, Richard F.
Discussion, 542, 733.
Discussion, published in ASTM BULLETIN, No. 125, December, 1943, p. 16.
Mochel, N. L.
Report of Committee A-1on Steel, 56.
Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 125.
Montgomery, H. E.
Structure and Creep Characteristics of Cast Carbon-Molybdenum Steel at 950 F. Published in ASTM BULLETIN, No. 125, December, 1943, p. 13.
Moore, J. C.
Introduction to paper by John J. Bradley, Jr. on "Blackout Paints." Summary of Proceedings of Buffalo Spring Meeting—Symposium on Paint, 1311.
Moore, H. F.
Report of the Research Committee on Fatigue of Metals, 108.
Second Progress Report on the Effect of Size of Specimen on Fatigue Strength of Three Types of Steel. Appendix, Report of Research Committee on Fatigue of Metals, 109.
Discussion, 844.
Moore, Mark B.
Discussion, 1200, 1237.
Morey, George W.
Discussion, 1310.
Morkovin, D.
Second Progress Report on the Effect of Size of Specimen on Fatigue Strength of Three Types of Steel. Appendix, Report of Research Committee on Fatigue of Metals, 109.

Morrison, P. H.
Diagnosis of Water Problems at Limbo Station, 1289.
Muhlenbruch, C. W.
Increasing the Reflectivity of Standard Portland Cement Concretes by Additions of Hydrated Lime, 870.
Mulcahy, B. P.
Discussion, 1191.

N

Nadai, A.
Hyperbolic Sine Chart for Estimating Working Stresses of Alloys at Elevated Temperatures, 735. Discussion, 747.
Discussion, 599, 704.
Nason, Howard K.
Impact Testing of Plastics—I. Energy Considerations, 1211. Discussion, 1224.
Navias, Louis.
Report of Committee C-14 on Glass and Glass Products, 247.
Neifert, H. R.
Discussion, 121.
Nelson, Wesley R.
Report of Committee D-18 on Soils for Engineering Purposes, 393.
Newell, H. D.
Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel and Related Alloys, 101.
Newman, Edwin S.
A Study of the Heat of Solution Procedure for Determining the Heat of Hydration of Portland Cement, 905.

O

Oliensis, G. L.
Discussion, 1162.

P

Painter, R. J.
Report of Committee A-1 on Steel, 56.
Partridge, Everett P.
Diagnosis of Water Problems at Limbo Station, 1289. Discussion, 1309.
Paul, M. Rea.
Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 254.
Pearson, J. C.
Measurement of Bond Between Bricks and Mortar, 857. Discussion, 868.
Phelps, S. M.
Report of Committee C-8 on Refractories, 225.
Pratt, W. N.
The Hot Pressing of Metal Powders. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.

R

Reagel, F. V.
Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate, 981. Discussion, 1000.
Reid, L. S.
Report of Committee D-6 on Paper and Paper Products, 326.
Reynar, J. M.
Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants, 1258. Discussion, 1268.
Discussion, 1256.
Rhines, Frederick N.
The Influence of Homogenization upon the Physical Properties of Copper-Nickel Powder Alloys. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Powder Metallurgy, 1311.
Rhodes, E. O.
A Method for the Testing and Evaluation of Road Tars, 1165.
Rinn, H. W.
Discussion, 1308.
Robinson, H. M.
Report of Committee C-5 on Fire Tests of Materials and Construction, 221.
Roeser, W. F.
The Testing and Properties of Low-Tin Solders Listed in Recent Federal Specifications, 600.
Rose, C. H.
Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 254.
Rowe, H. J.
Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought, 177.
Ruettgers, Arthur.
Variations in Strength of Portland Cements Conforming to the Same Specifications and the Relation of Such Variations to Concrete Control, 917. Discussion, 969.

Rupp, M. F.
Discussion, 520.
Russell, Charles C.
The Gieseler Method for Measurement of the Plastic Characteristics of Coal, 1176.

S

Sample, C. H.
Report of Subcommittee III, Committee B-8, on Conformance Tests, 187.
Use and Misuse of the Salt Spray Test as Applied to Electrodeposited Metallic Finishes. Published in ASTM BULLETIN, No. 123, August, 1943, p. 19. Discussion, p. 24.
Sanford, R. L.
Report of Committee A-6 on Magnetic Properties, 96.
Sawyer, Roscoe H.
Surface Coating of Opaque Pigments. Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.
Schuman, L.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 218. Discussion, 899.
Schwarcman, A.
Drying Oil and Fatty Acid Development. Summary of Proceedings of the Buffalo Spring Meeting—Symposium on Paint, 1311.
Schwartz, H. A.
Report of Committee A-7 on Malleable Iron Casting, 100.
Scott, R. K.
Diagnosis of Water Problems at Limbo Station, 1289. Discussion, 1309.
Scribner, B. F.
Report of Committee E-2 on Spectrographic Analysis, 411.
Sebald, J. F.
Discussion, 1254, 1267.
Selvig, W. A.
Report of Committee D-5 on Coal and Coke, 288.
Shartsis, Leo.
A Study of the Heat of Solution Procedure for Determining the Heat of Hydration of Portland Cement, 905.
Shombert, G., Jr.
Discussion, 501.
Shuman, J. J.
Discussion, 520.
Smith, E. K.
Report of Committee A-7 on Malleable Iron Castings, 100.
Smith, G. V.
Discussion, 542.
Smith, G. W.
The Measurement of a-c. and d-c. Permeability on 28-cm. Test Specimens, 493.
Smith, H. E.
Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 254.
Smith, H. L.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 43.
Smith, P. J.
Report of Committee E-1 on Methods of Testing, 407.
Snyder, C. J.
Lead-Alloy Coated Copper Wire for Electrical Conductors, 571. Discussion, 580.
Soderberg, K. Gustaf.
Properties of Plated Lead Coatings on Steel, 562.
Report of Committee B-8 on Electrodeposited Metallic Coatings, 184.
Discussion, 570.
Sosman, R. B.
Discussion, 1309.
Soth, Glenn C.
The Gieseler Method for Measurement of the Plastic Characteristics of Coal, 1176. Discussion, 1192.
Spooner, Thomas.
Report of Committee A-6 on Magnetic Properties, 96.
Discussion, 501.
Stadtfeld, N. T.
Discussion, 944.
Stanton, Thomas E.
Studies to Develop an Accelerated Test Procedure For the Detection of Adversely Reactive Cement-Aggregate Combinations, 875. Discussion, 902.
Stickley, G. W.
Discussion, 121, 763.
Stock, C. R.
Discussion, 1236, 1238.
Stout, H. H., Jr.
Report of Committee B-1 on Copper and Copper-Alloy Wires for Electrical Conductors, 129.

Strauss, Jerome.
Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel and Related Alloys, 101.
Sturm, R. G.
Discussion, 704, 728.
Stutz, F. G. A.
Luminous Paints. Summary of Proceedings of Buffalo Spring Meeting—Symposium on Paint, 1311.
Sullivan, J. D.
Report of Committee C-8 on Refractories, 225.
Swartz, C. E.
Report of Committee B-2 on Non-Ferrous Metals and Alloys, 131.

T

Taylor, Rolla H.
Use of the Shore Durometer for Measuring the Hardness of Synthetic and Natural Rubbers. Published in ASTM BULLETIN, No. 123, August, 1943, p. 25. Discussion, p. 30.
Taylor, T. Smith.
Discussion, 1236.
Telfair, David.
Impact Testing of Plastics—I. Energy Considerations, 1211. Discussion, 1223, 1224.
Discussion, 1236.
Templin, R. L.
Discussion, 844.
Thomas, Ray.
Report of Committee C-16 on Thermal Insulating Materials, 251.
Thompson, D. H.
The Atmospheric Corrosion of Copper, 615.
Thum, E. E.
Report of Committee B-2 on Non-Ferrous Metals and Alloys, 131.
Discussion, 763.
Tour, Sam.
Report of Committee B-3 on Corrosion of Non-Ferrous Metals and Alloys, 135.
Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought, 177.
Discussion, 569.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 22.
Townsend, J. R.
Report of Committee B-6 on Die-Cast Metals and Alloys, 173.
Report of Committee E-10 on Standards, 422.
Discussion, 613.
Discussion published in ASTM BULLETIN, No. 123, August, 1943, p. 42.
Tracy, A. W.
The Atmospheric Corrosion of Copper, 615. Discussion, 647.
Report of Committee B-3 on Corrosion of Non-Ferrous Metals and Alloys, 135.
Discussion, 659.
Tremper, Bailey.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 211.
Discussion, 901, 1066.
Trevithick, H. P.
Report of Committee D-12 on Soaps and Other Detergents, 374.
Trostel, L. J.
Report of Committee C-8 on Refractories, 225.
Tucker, John, Jr.
Discussion, 941.
Tuckerman, L. B.
Discussion, 845, 847.

U

Ulmer, R. C.
Applicability of the Schwartz-Gurney Method for Determining Dissolved Oxygen in Boiler Feedwater and Modification of the Method to Make It Especially Applicable in the Presence of Such Impurities as Are Encountered in Power Plants, 1258. Discussion, 1268.
Discussion, 1256.
Urban, John.
Structure and Creep Characteristics of Cast Carbon-Molybdenum Steel at 950 F. Published in ASTM BULLETIN, No. 125, December, 1943, p. 13.

V

Van Zile, B. S.
Report of Committee D-12 on Soaps and Other Detergents, 374.
Voss, W. C.
Report of Committee C-7 on Lime, 224.

W

Walker, A. O.
The Interpretation of Analyses and Problems Encountered in Water Deposits, 1301.
Walker, Stanton.
Report of Committee C-9 on Concrete and Concrete Aggregates, 241.
Discussion, 996.

Warren, G. E.
Report of Committee C-1 on Cement, 195.
Warwick, C. L.
Annual Report of the Executive Committee, 32.
Report of Committee E-9 on Research, 419.
Weetman, Bruce.
Accelerated Weathering of Bituminous Materials—Effect of Operating Variables, 1154. Discussion, 1164.
Weiss, J. M.
Report of Committee D-8 on Bituminous Waterproofing and Roofing Materials, 330.
Werley, G. L.
Report of Committee B-6 on Die-Cast Metals and Alloys, 173.
Wesley, W. A.
The Total-Immersion Corrosion Test, 649. Discussion, 660.
Westwater, J. W.
Discussion, 1237.
Whitcomb, W. H.
Report of Committee D-13 on Textile Materials, 385.
Williams, H. T.
Strength of Concrete as Related to Abrasion of the Blast-Furnace Slag Used as Coarse Aggregate, 1088. Discussion, 1096.
Williams, S. R.
Present Types of Hardness Tests, 815. Discussion, 855.
Willis, T. F.
Effect of Air-Entrapping Portland Cement on the Resistance to Freezing and Thawing of Concrete Containing Inferior Coarse Aggregate, 981. Discussion, 1000.
Wing, S. P.
Simplified Test for Evaluating the Effectiveness of Concrete Mixers, 1001. Discussion, 1038.
Variations in Strength of Portland Cements Conforming to the Same Specifications and the Relation of Such Variations to Concrete Control, 917. Discussion, 969.
Wolford, Don S.
Discussion, 596.
Wuerpel, Charles E.
Notes on the "Effect of Alkalies in Portland Cement on the Durability of Concrete." Appendix, Report of Committee C-1, 212. Discussion, 995.
Wyman, L. L.
Report of Committee E-4 on Metallography, 415.

X

Xenis, C. P.
Discussion, 613.

Y

Young, E. R.
Report of Committee A-3 on Cast Iron, 68.

Z

Zapata, Joseph.
A Method for Evaluating Performance in Service of Slow-Curing Asphalts. Published in ASTM BULLETIN, No. 124, October, 1943, p. 31. Discussion, pp. 38, 39.
Zinzow, W. A.
Report of Committee D-9 on Electrical Insulating Materials, 332.